	Application No.	Applicant(s)	
Notice of Allowability	Application No.	Applicant(s)	
	09/851,238	BUSH, ERIC N.	
	Examiner	Art Unit	
	Sathyanarayan Pannala	2167	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT IF of the Office or upon petition by the applicant. See 37 CFR 1.31  1. This communication is responsive to 6/22/2004.  2. The allowed claim(s) is/are 4-14 and 23-31.  3. The drawings filed on are accepted by the Examin 4. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the:  1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority discuments have International Bureau (PCT Rule 17.2(a)).	pears on the cover sheet with the S (OR REMAINS) CLOSED in this S	ne correspondence address s application. If not included ation will be mailed in due course. THIS ect to withdrawal from issue at the initial	
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give			
6. CORRECTED DRAWINGS ( as "replacement sheets") mu  (a) including changes required by the Notice of Draftsper  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner  Paper No./Mail Date  Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	rson's Patent Drawing Review(P  r's Amendment / Comment or in t 1.84(c)) should be written on the di the header according to 37 CFR 1.	ne Office action of rawings in the front (not the back) of 121(d).	
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT</li> </ol>			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summ Paper No./Mail /08), 7. ☐ Examiner's Ame	Date	
		Sathyanarayan Pannala Patent Examiner Art Unit 2167	

Application/Control Number: 09/851,238 Page 2

Art Unit: 2167

### **DETAILED ACTION**

1. Applicant's Amendment filed on 6/22/2004 contains amended claims are 4-14, cancelled claims are 1-3 and 15-22 and added claims are 23-31. As per this Office Action, claims 4-14, and 23-31 are pending.

2. Amendment to the Specification filed on 6/22/2004 has been entered.

## **Drawings**

3. The drawings were filed on 6/22/2004 are received. These drawings are Fig. 1-3.

#### **EXAMINER'S AMENDMENT**

4. The application specification has been amended as follows:

Page 1, line 4, after "09/513,812", Insert as now patent (US Patent 6,754,664)

# **Reasons for Allowance**

- 5. The following is an examiner's statement of reasons for allowance:
  - Prior art of record fails to teach claims 4 and 6 as notifying specific objects
     whenever the objects exceeds the threshold value. In the Non-final Office

Application/Control Number: 09/851,238

Art Unit: 2167

Action mailed on 3/22/2004, the above stated claims were objected. The Applicant cancelled rejected claims 1-3 and 15-22.

Page 3

- Knight (US Patent 6,126,330) hereinafter Knight teaches run time instrumentation for providing feedback from users of object oriented applications where the applications have unique object identifiers and support dynamic data exchange. The invention utilizes a setup software tool to create a monitor input file, which indicates which objects of the application should be monitored when a user interacts with them. Whereas Watson et al. (US Patent 6,631,409) teaches a method for monitoring the server, which is connected with a plurality of elements.
- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sathyanarayan Pannala whose telephone number is (703) 305-3390. The examiner can normally be reached on 8:00 am - 5:00 pm.

Art Unit: 2167

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on (703) 305-9790. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sathyanarayan Pannala Examiner Art Unit 2177

srp November 9, 2004